


FLOOR PLANS & INFORMATION

SET THEATRE

BROUGHT TO YOU BY
LANGTONS KILKENNY

L
★ ★ ★ ★
LANGTONS KILKENNY





KEY




13 AMP SOCKET



AV INPUT

THEATRE STYLE	252	U-SHAPE	32
BANQUET	96	CLASSROOM	18
BOARDROOM	20	CABARET	48
RECEPTION	250		

DIMENSIONS	13.73M X 11.4M (LXW)
------------	----------------------



KEY



THEATRE STYLE	252	U-SHAPE	32
BANQUET	96	CLASSROOM	18
BOARDROOM	20	CABARET	48
RECEPTION	250		

TECHNICAL SPECIFICATIONS

LIGHTING EQUIPMENT

CONTROL

1 AVOLITES - PEARL TIGER DMX CONSOLE
1 LCD MONITOR FOR ABOVE
1 COMPULITE 6-WAY DMX SPLITTER
3 COMPULITE 3-WAY DMX INPUT BUFFER
DMX OUTPUTS ARE AVAILABLE AT FACILITY PANELS AROUND THE VENUE ON
5-PIN XLR CONNECTORS.
THESE OUTPUTS ARE PATCHABLE FROM THE DIMMER ROOM.
DIMMERS

3 ZERO88 BETAPACK 6 WAY DIMMER, TWIN 15A OUTLET (DMX ADDRESS 37-54)
1 12-WAY NON-DIM 15A OUTLET PANEL
THE ABOVE ARE PATCHABLE TO AN 84 WAY 15A PATCH, WIRED TO 15A OUTLETS IN THE ROOF,
AROUND THE BALCONY, AND ON STAGE.
LIGHTING FIXTURES

12 SELECON PACIFIC 1000W 12°-28° ZOOM PROFILE
3 CHAVUVET INTIMIDATOR TRIO
6 SELECON RAMA 1000W FRESNEL, C/W BARNDOR
6 STUDIO DUE ARCHILED 150 LED WASH LIGHT
3 STUDIO DUE ARCHIBAR LED BATTEN LIGHT
4 LEDJ ALU TRI PAR64 (18 X 3W TRI-COLOUR LED)
4 ROBE COLORSPOT 250AT
TRUSSING

THERE ARE 2 TRUSSES ON 2 X 1/2 TONNE MOTORS EACH ONE ABOVE THE BALCONY, 7M LONG ONE
MID AUDITORIUM, 6M LONG
A SELECTION OF 5 PIN AND 3 PIN DMX CABLE
A SELECTION OF 15A CABLING, SOCAPEX MULTICORE
1 UNIQUE II HAZER
HOUSE LIGHTS

HOUSE LIGHTING IS SPREAD OVER 36 CHANNELS, AND IS CONTROLLED BY EITHER DMX (DMX
ADDRESS 1-36), 12-PRESET PUSHBUTTON PANELS, AND ON THE TOUCHSCREEN CONTROL PANELS.

SOUND EQUIPMENT

FLOWN SYSTEM CONSISTING OF:

3 LOGIC SYSTEMS ML15'S, FLOWN IN LEFT, CENTRE, RIGHT CONFIGURATION
2 MC2 T2000 AMPLIFIER DRIVING LEFT & RIGHT
1 MC2 T1000 AMPLIFIER (BRIDGED) DRIVING CENTRE
FLOWN SYSTEM CONSISTING OF:

4 LOGIC SYSTEMS ML15'S, 2 LEFT, 2 RIGHT
2 LOGIC SYSTEMS SB300I, DUAL 15 SUBS
2 MC2 T2000 AMPLIFIERS, 1 DRIVING LEFT & RIGHT, 1 DRIVING SUBS
FLOWN SYSTEM CONSISTING OF:

8 MARTIN AUDIO EFFECT 3 THX SURROUND SPEAKERS
2 MARTIN AUDIO EFFECT 3R THX SURROUND SPEAKERS
1 MC2 T500 AMPLIFIER, DRIVING REAR SURROUNDS
1 MC2 T4-250 4 CHANNEL AMPLIFIER DRIVING SIDE SURROUNDS
MONITORS

4 LOGIC SYSTEMS IS12 LOUDSPEAKERS
2 MC2 T2000 AMPLIFIERS
CONTROL

1 YAMAHA DME64, CONTROLS ROOM PRESETS, EQ, DELAY, ETC.
1 LEXICON MV-5 7.1 SURROUND PROCESSOR
DESKS

1 MIDAS M32 CONSOLE
MIDAS DL32 M- SERIES STAGEBOX
50 METER SHIELDED CAT5E ON CABLE DRUM (MIDAS NCAT5-50M)
1 YAMAHA DME64, CONTROLS ROOM PRESETS, EQ, DELAY, ETC.

